

**CLARK & BRODY**  
1090 Vermont Avenue, NW, Suite 250  
Washington, D.C. 20005  
Telephone: (202) 835-1111  
Facsimile: (202) 835-1755

**RECEIVED**  
**CENTRAL FAX CENTER**  
JUL 24 2008

---

**FACSIMILE TRANSMITTAL SHEET**

---

**PLEASE DELIVER TO:** **EX. ALISSA J. TOMPKINS, GROUP ART UNIT 3765**

**U.S. PATENT AND TRADEMARK OFFICE**

**FACSIMILE NUMBER:** 571-273-8300

**SENDER:** Christopher W. Brody

**DATE:** July 24, 2008

**U.S. SERIAL NO.** 10/787,163


**DOCKET NO.** 12010-0056

**NUMBER OF PAGES:** 12  
**(INCLUDING COVER PAGE)**

**CERTIFICATION OF FACSIMILE TRANSMISSION**

I hereby certify that the attached Amendment for U.S. Serial No. 10/787,163 is being transmitted to the U.S. Patent and Trademark Office on the date shown above.

Respectfully submitted,



Christopher W. Brody, Reg. No. 33,613

If all pages are not received, please contact *Melissa Garton* at (202) 835-1111.

---

This message is intended solely to be used by the individual or entity to which it is addressed. It may contain information which is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to its intended recipient, you are herewith notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone immediately and return this communication to us at the above address via the United States Postal Service. Thank you.

RECEIVED  
CENTRAL FAX CENTER  
JUL 24 2008

Docket No. 12010-0056

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

**In re Application of:**

Haruo KAWASHIMA et al.

Serial No.: 10/787,163

Filed: February 27, 2004

For: **SWIMMING GOGGLES**

**Examiner: Tompkins, A.**

**Art Unit: 3765**

## AMENDMENT

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Sir:**

In response to the Office Action of April 29, 2008, please amend the application as follows: